BILL'S HOME TECH

Home & Small Business Tech Solutions

AN EXTENDED GUIDE · NO. 2152

Updated November 2026

Live TV / Antenna Channels Disappeared — Rescan

When over-the-air channels vanish from your TV — the rescan that brings them back

Plain-English TV help from:

Bill's Home Tech

Portage County, Ohio

Tech Made Simple. Service Made Personal.

Bill Davis — Bill's Home Tech

(330) 200-8042 · bill@billshometech.com · Atwater, Ohio

Book a visit · billshometech.com/book

What's Inside

Everything in this guide, with page numbers. Skip to whichever chapter answers your question right now.

The 60-Second Version 3

The Short Version 3

Why Channels Disappear 4

Check the Antenna First 4

Run the Channel Scan 5

Antenna vs. Cable — Set the Right Mode 6

Try a Second Scan and Reposition 6

When Weather Is the Culprit 7

Weak-Signal Channels and Amplifiers 8

Use the Signal-Strength Meter 8

Antenna TV, or Stream Your Locals? 9

Save and Organize Your Channels 10

When to Call Bill 10

Everyday Cheat Sheet 12

A Note From Bill 13

Your Visit — and My Promise 14

SUMMARY

The 60-Second Version

When over-the-air channels disappear, the fix is almost always a channel rescan, which rebuilds the TV's list after stations change the frequencies they broadcast on. First make sure the TV's input is set to Antenna, not an HDMI, and check that the antenna cable is snug. Then run the scan from the Channels or Tuner menu — set to “Antenna/Air,” not “Cable” — and let it finish.

Reposition an indoor antenna higher and toward the broadcast towers, then scan again to pull in more. Channels that fade in storms and return afterward are normal and need no fixing.

1 The Short Version

When antenna channels disappear, the usual cure is a channel rescan — a built-in feature that makes the TV search the airwaves and rebuild its channel list. Stations periodically change the signals they broadcast on, and until your TV rescans, it keeps looking in the old, empty spots. A rescan is free, safe, and takes a few minutes.

Work down this list and stop when your channels return. Most people get them all back with a single rescan, especially after checking the antenna connection first.

- A rescan rebuilds the TV's channel list and brings back channels that moved — do this first.
- Check the antenna cable and the antenna's position before and after scanning.
- Stations really do change frequencies, which is why channels vanish for no obvious reason.
- Weather and a bumped antenna can also drop channels temporarily.

TIP

Make sure the TV's input is set to “TV,” “Antenna,” or “Air” — not an HDMI input — before you worry about missing channels. If the TV is simply pointed at the wrong input, your channels are not gone at all; the TV is just looking somewhere else.

2 Why Channels Disappear

Over-the-air television is broadcast on a set of invisible frequencies, and your TV keeps a list of which channels live on which frequencies. The trouble is that stations are periodically required to move to new frequencies, and when they do, your TV's saved list points to the old, now-empty spot — so the channel simply vanishes from your list until the TV looks again.

This is not a fault and not something you did. It has happened on a large scale as television broadcasting was reorganized over recent years, and it continues in smaller ways as individual stations adjust. The TV is not broken; its map is just out of date, and a rescan redraws it.

GOOD TO KNOW

The channel number you see on screen — say 8.1 — often stays the same even when the underlying frequency changes, which is why it feels like the channel should still be there. The friendly number is a label; the actual signal behind it may have moved, and only a rescan reconnects the two.

3 Check the Antenna First

Before rescanning, take a moment with the antenna itself, because a loose cable or a shifted antenna is a common cause of vanished channels and no amount of rescanning will fix a disconnected antenna.

1. Check the round, screw-on antenna cable at the back of the TV and finger-tighten it snugly.
2. Follow the cable to the antenna and make sure it is connected firmly there too.
3. If the antenna is indoors, make sure it has not been knocked out of position or fallen behind furniture.
4. Look for any obvious damage — a crimped or frayed cable can lose channels.

> **TIP**
>
> Indoor antennas are fussy about position — a few inches or a different window can be the difference between ten channels and thirty. Higher up and nearer a window facing the towers almost always works better than low and tucked behind the TV.

4 Run the Channel Scan

The rescan is the heart of the fix. Every TV has it, though it hides under slightly different names, and running it rebuilds the channel list from whatever is actually on the air right now.

1. Open the TV's Settings and find the Channels, Broadcasting, or Tuner menu.
2. Make sure the signal type is set to “Antenna” or “Air” rather than “Cable.”
3. Choose “Channel Scan,” “Auto Program,” “Auto Tune,” or “Rescan.”
4. Let it run all the way through — it can take several minutes as it sweeps every frequency.
5. When it finishes, check whether your channels have returned.

> **GOOD TO KNOW**
>
> The scan may report a different total number of channels than before — more or fewer — and that is normal. Some channels come and go, and the number simply reflects what is on the air at the moment you scan.

5 Antenna vs. Cable — Set the Right Mode

A small but common snag: the TV has a setting for whether it is receiving from an antenna or from a cable connection, and if it is set to the wrong one, the scan finds nothing useful. Getting this right is essential for the scan to work.

1. In the Channels or Tuner menu, look for a choice between “Antenna/Air” and “Cable.”
2. Choose “Antenna” or “Air” if you use an aerial for free channels.
3. Choose “Cable” only if a cable company's coax feeds the TV directly without a box.
4. Run the scan again after setting the correct mode.

> **WATCH OUT**
>
> If you set it to “Cable” when you actually use an antenna, the scan will either find nothing or fill your list with empty channels. When in doubt for a free aerial, “Antenna” or “Air” is the setting you want.

6 Try a Second Scan and Reposition

Sometimes a single scan does not catch everything, especially for stations on the edge of your reception. A little patience and antenna adjustment between scans can noticeably increase how many channels you get.

1. Run the scan once and note which channels you got.
2. If some are missing, move the antenna — higher, nearer a window, or facing a different direction.
3. Run the scan again from the new position and compare.
4. Repeat a couple of times to find the antenna spot that gives the most channels.

TIP

Online coverage maps will tell you which direction your local broadcast towers are from your home — search for "TV antenna signal locator" and enter your address. Aiming the antenna toward the towers, rather than guessing, is the surest way to pull in the most channels.

Rather not do this yourself? I'll come to your home and set it up for you — a flat $99 first visit across Portage County, Ohio and nearby communities. Outside the area? I also help remotely by phone or screen-share. Book at billshometech.com/book or call (330) 200-8042.

7 When Weather Is the Culprit

Over-the-air signals can be affected by weather and conditions, so channels that fade in heavy rain, high wind, or a storm may simply be reacting to that. This is temporary and not a reason to rescan or adjust anything.

- Channels that break up or vanish during a storm usually return once it passes.
- A windy day can sway an outdoor antenna enough to weaken a marginal channel.
- Heat and atmospheric conditions can affect distant stations more than nearby ones.
- If the loss lines up with bad weather and clears afterward, nothing needs fixing.

GOOD TO KNOW

Distant, weaker stations are the first to drop out in bad weather, while strong local ones usually hold steady. If only your farthest channels come and go with the weather, that is the nature of over-the-air reception rather than a fault — a better or higher antenna is the only real remedy.

8 Weak-Signal Channels and Amplifiers

If certain channels are always weak or missing no matter how you scan and position the antenna, your location may simply be far from those towers or blocked by hills or buildings. There are ways to strengthen reception, but they have limits worth understanding.

- A better-placed or larger antenna — ideally outdoors or in an attic — pulls in more than a small indoor one.
- An antenna amplifier can help a weak signal, but it cannot create a signal that is not reaching you.
- Too much amplification can actually overload strong channels and make things worse.
- Obstacles like hills, dense trees, and large buildings genuinely block signals.

> **WATCH OUT**
> Getting the most out of an antenna — the right type, the best spot, and whether an amplifier will truly help — is part science and part local knowledge of where the towers are around Portage County. I am glad to work out what your location can realistically receive and set up an antenna to capture it, so you are not chasing channels that were never going to reach you.

9 Use the Signal-Strength Meter

Most TVs have a hidden gem for antenna watchers: a signal-strength meter that shows, channel by channel, how strong the incoming signal is. It turns antenna positioning from guesswork into something you can actually see, because you watch the number rise and fall as you move the antenna.

1. Tune to a channel that is weak or missing and open the TV's channel or signal information.
2. Look for a “signal strength” or “signal quality” reading — often a bar or a percentage.
3. Slowly move or rotate the antenna and watch the number respond.

4. Settle the antenna where the weak channels read strongest, then rescan from there.

TIP

Move the antenna in small steps and pause a few seconds each time — the meter takes a moment to catch up. A patient minute with the meter often finds a sweet spot that adds several channels you could not get before.

GOOD TO KNOW

A signal that reads strong but still breaks up points to a different problem than a simply weak signal — usually interference or an overloaded amplifier rather than distance. Knowing whether the number is low or merely unstable helps decide whether to reposition, remove an amplifier, or accept that a distant channel is out of reach.

10 Antenna TV, or Stream Your Locals?

If chasing antenna channels becomes a constant battle at your location, it is worth knowing there is another way to watch many local channels — over the internet, through apps and services, no antenna required. It is not free in every case, but it sidesteps reception trouble entirely.

- The major networks each have an app, and some let you watch live with a TV-provider or a modest sign-in.
- Some streaming services include local channels in their live-TV packages.
- Your existing cable or satellite subscription often includes an app that streams your locals.
- A good antenna, where reception allows, remains the only truly free option — no monthly cost at all.

GOOD TO KNOW

For someone in a poor-reception spot, streaming the locals can be far less frustrating than fighting an antenna. For someone with good reception, the antenna is wonderfully free. Which makes sense depends entirely on where you live and what reaches you — and that is worth sorting out before spending on either.

11 Save and Organize Your Channels

Once you have a good scan, a little tidying makes the channels pleasant to live with — hiding the empty or shopping channels you never watch and keeping your favorites close to hand.

1. Look in the Channels menu for an option to edit, hide, or remove channels.
2. Hide the blank or unwanted channels so flipping through is quicker.
3. Mark your regular channels as favorites if the TV offers a favorites list.
4. Note roughly how many channels a good scan gives you, as a reference for next time.

GOOD TO KNOW

If you keep a note of how many channels you normally receive, you will know at a glance whether a future rescan did its job or whether the antenna needs attention. “We usually get about thirty” is a handy benchmark when channels start to drift.

12 When to Call Bill

A rescan brings back most vanished channels in a few minutes, and this guide walks you through it. But if a rescan does not restore them, if certain channels are always weak, or if you would like to get the most your location can receive, there is no need to settle for half your channels.

I come to you, check the antenna and connections, run the scan correctly for your area, and — knowing where the towers sit around here — position or upgrade the

antenna to pull in the most channels your home can realistically get. I leave you with a tidy channel list and a note of what to expect, so a future disappearance is a two-minute fix.

- A rescan has not brought your channels back.
- Certain channels are always weak or missing no matter how you scan.
- You want the best antenna setup for your location and the local towers.
- You are not sure whether an amplifier or a new antenna would actually help.

CHEAT SHEET

Everyday Cheat Sheet

Keep this by the TV. A rescan brings back most vanished channels.

I want to…	Do this…
Bring channels back	Settings Channels/Tuner Auto Program / Channel Scan — let it finish
Set the right mode	Choose “Antenna” or “Air” (not “Cable”) before scanning
Check the antenna	Tighten the screw-on cable; reposition an indoor antenna higher and near a window
Pull in more channels	Aim the antenna toward the towers (search “TV antenna signal locator”)
Understand weather drops	Channels that vanish in storms and return afterward need no fix
Tidy the list	Hide blank channels and mark your regulars as favorites
Get help	Call Bill: (330) 200-8042

BEFORE YOU GO

A Note From Bill

A quick note from Bill. I write these guides to make home tech a little less frustrating, and I do my best to keep every step accurate and up to date. Still, every home, device, and setup is a bit different, so I can't promise a guide will match yours exactly or fix your particular problem. These guides are for general information only — they're not professional, legal, or financial advice, and they don't replace your device's own manual or the manufacturer's instructions. Please go slow, use your own good judgment, and use everything here at your own risk. If a step involves electrical wiring, a gas appliance, a water heater, plumbing, or climbing a ladder — or if anything just doesn't feel safe — please stop and call a licensed professional (or give me a call at 330-200-8042). Bill's Home Tech and Bill Davis can't be responsible for any damage, data loss, or injury that results.

HOW I CAN HELP

Your Visit — and My Promise

You don't have to remember all of it — just that a friendly, patient person is one call away, whenever you'd rather have a hand.

KEY SPECS

In your home — $99 flat for the first visit, no contracts and no surprises, with a 30-day come-back-free follow-up. In-home visits cover Portage County, Ohio and nearby communities.
Outside the area? Remotely — $49 for a screen-share session (free for Support Plan members, $39/mo), refundable if I can't fix it — and credited toward a visit if you'd rather have me in person. Book either at billshometech.com/book.

GOOD TO KNOW

My promise — If you're not 100% satisfied with your visit, I'll come back at no charge, or refund the full $99. No questions, no awkwardness. That's how I'd want to be treated.

Whenever you're ready, I'll come to your home anywhere in Portage County, Ohio and nearby communities, at your pace. Too far for a house call? I also help remotely. Book at billshometech.com/book or call (330) 200-8042. — Bill

Call or text (330) 200-8042 · bill@billshometech.com

This free guide is for general information only — not professional advice, and no substitute for your device's own manual. Any prices or outside products mentioned can change; please confirm current details before you buy. Please use your own good judgment and follow it at your own risk — for anything involving electricity, gas, water, or heights, stop and call a licensed professional. Bill's Home Tech and Bill Davis can't be responsible for any damage, data loss, or injury that results. © 2026 Bill's Home Tech, LLC.